

WIRELED ST64 ANTIQUE E27 6W 2K NDLS



Item code	12100575
Product family	WIRELED
Series	ST64
Nominal voltage (V)	220-240
Nominal power (W)	6
CCT (K)	2000
Cap	E27

General Characteristics

Nominal voltage (V)	220-240
Lamp nominal power (W)	6
Lamp current (A)	0.050
Cap	E27
Working frequency (Hz)	50/60
CCT (K)	2000
Colour type	ANTIQUE
Beam opening (°)	360
IP grade	--

Dimensional Characteristics

Diameter (mm)	64
Length (mm)	140

Performance

Total luminous flux (lm)	680
Efficacy (lm/W)	113
Power factor	>0.5
CRI	>80
Average life (h)	15000
Energy class	A++
Consumption in kWh/1000h	6
Incandescent equivalence (W)	53
LLMF - Lumen maintenance at the end of life	0.70

Other characteristics

Number of ON/OFF cycles	> 20000x
Warm-up time up to 60% of total performance (s)	INSTANT
Ignition time (s)	< 0.5
Dimmable	NO
Led quantity	6
Working temperature range (°C)	-15 / +40

Shipment characteristics

Barcode	8054890170291
Inner box (pcs)	6
Master box (pcs)	24
Lamp weight (g)	54



The product is projected, manufactured, tested and verified in compliance to the following product European Directive, Regulation and Standards:

EN 61547, EN 55015, EN 61000-3-2, EN 61000-3-3, EN 62471, IEC TR 62471-2, EN 62031, EN 62031 A1+A2, EN 62560, EN 62560 A1, EN 55015 A1, EN 62612, EN 62493

2014/35/EU, 2014/30/EU, 2011/65/EU, 2012/19/EU, 2010/30/EU, 874/2012/EU, 2009/125/EC, 859/2009/EC, 1194/2012/EU, 244/2009/EC