

Product datasheet

L 8 W/827

LUMILUX T5 Short | Tubular fluorescent lamps 16 mm, short, with G5 base



Product datasheet

Technical data


Electrical data

| | |
|-----------------|----------|
| Nominal current | 0.15 A A |
|-----------------|----------|

Photometrical data

| | |
|---------------------------|-----------------|
| Light color (designation) | LUMILUX INTERNA |
| Rated LLMF at 2,000 h | 0.8 |
| Rated LLMF at 4,000 h | 0.74 |
| Rated LLMF at 6,000 h | 0.71 |
| Rated LLMF at 8,000 h | 0.69 |
| Luminous flux | 420 lm |

Dimensions & weight



| | |
|---|-----------|
| Tube diameter | 16 mm |
| Length with base excl. base pins/connection | 288,00 mm |
| Product weight | 25.71 g |
| Overall length | 302.50 mm |

Additional product data

| | |
|-----------------------------------|--------|
| Mercury content | 2.9 mg |
| Appropriate disposal acc. to WEEE | Yes |

Certificates & standards


| | |
|-------------------------|----------------|
| Energy efficiency class | G |
| Energy consumption | 8.00 kWh/1000h |

Environmental information

Product datasheet

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---------------|
| Date of Declaration | 19-01-2022 |
| Primary Article Identifier | 4050300008943 |
| Declaration No. in SCIP database | In work |

Light Distribution



FL_827


System guarantee

OSRAM System+ Guarantee in combination with OSRAM ECGs

Product datasheet




Die Zuleitungen 3 und 4 sollen so kurz wie möglich sein



Die Zuleitungen 3 und 4 sollen so kurz wie möglich sein


QUICKTRONIC L 6W TO L 13W

QUICKTRONIC QT 1x



QUICKTRONIC INTELLIGENT QT i 1x QTP 5 1x

QUICKTRONIC INTELLIGENT QT i 2x QTP 5 2x



SINGLE LAMP WITH ACCUTRONIC AT

Logistical Data

Product datasheet

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|--|--------------------------------------|----------------------|--------------|
| 4050300008943 | L 8 W/827 | Shipping carton box 25 Pieces Sleeves | 320 mm x 93 mm x 105 mm | 3.12 dm ³ | 973.10 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For more information on QUICKTRONIC electronic control gear go to

▶ www.osram.com/QUICKTRONIC

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany