




BISPINA XENON JC 10000H

12 Vdc	Ra 100				10000 h	IP20	G4	-15°C +35°C	
									200°

Characteristic data

Power	20 W	Beam	200°	Dimmable	Yes	Input	12 Vdc
Base	G4	IP	20	Flux	320 lm	Tc	3000 K
Ra	100						

Dimensional characteristics



Ø	9 mm
H	33 mm

Lighting and photometric features

Beam opening	200°
Flux	320 lm
CCT nominal colour temperature	3000 K
Colour rendering index	100
Lifespan	10000 h
Trigger time	<0,2 s
Heating time up to 60% of full efficiency	Instant Full Light

Electrical characteristics

Rated power	20 W
Input voltage	12 Vdc
Dimmable	Yes
Input current	1.66 A
Weighted energy consumption	21 kWh/1000h
Number of cycles	25000
Operating temperature	-15°C / +35°C
Equivalence with incandescent lamp	33
Operating position	360°

Standards and Directives

2009/125/EC * Ecodesign	CEI EN 55015:2014 (+A1:2016)
1194/2012 * Regulation for Ecodesign	CEI EN 60598-1:2015 (+EC:2015/+EC:2016)
2015/1428 * Regulation for Ecodesign	CEI EN 60598-2-1:1997
2010/30/EU * Energy Labelling	CEI EN 61000-3-2:2015
874/2012 * Regulation for Energy Labelling	CEI EN 61000-3-3:2014 (+EC:2014)
2011/65/EU * RoHS	CEI EN 61547:2010
2012/19/EU * RAEE	CEI EN 62031:2009 (+A1/+A2:2015)
2014/30/EU * EMC (Compatibilità Elettromagnetica)	CEI EN 62471:2010
2014/35/EU * LVD (Bassa Tensione)	IEC/TR 62471-2:2009
	CEI 34-141:2012

Logistics data

Item net weight	2 gr
Barcode single item	8011905055172
Number of pieces multiple pack	20
Barcode multiple pack	8011905745790